ELSEVIER

Physica C 290 (1997) 354–356

PHYSICA C

Cumulative Author Index to Volume 290

Aguiló, M., see Cabré, R., **290**, (1997) 297
Aikele, M.G., R.P. Huebener, D. Weischer and C.C. Tsuei, Effect of high-frequency magnetic fields on the dissipative vortex motion in the superconducting mixed state, **290**, (1997) 109
Apte, P.R., see Pai, S.P., **290**, (1997) 105

Ban, M., K. Suzuki and Y. Enomoto, SiO_2 passivation film effects on microwave characteristics of $YBa_2Cu_3O_{7-x}$-based resonators, **290**, (1997) 345
Bando, Y., see Chong, I., **290**, (1997) 57
Bódi, A.C., see Kirschner, I., **290**, (1997) 206

Cabré, R., Jna. Gavaldà, R. Solé, X. Ruiz, J. Massons, M. Aguiló and F. Díaz, Single domain generation in YBCO textured samples, **290**, (1997) 297
Cao, L.Z., see Chen, X.H., **290**, (1997) 317
Chae, M.S., see Triscone, G., **290**, (1997) 188
Chen, X.H., T.F. Li, M. Yu, K.Q. Ruan, C.Y. Wang and L.Z. Cao, Resistivity and thermoelectric power of $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ system, **290**, (1997) 317
Chong, I., T. Terashima, Y. Bando, M. Takano, Y. Matsuda, T. Nagaoka and K.-i. Kumagai, Growth of heavily Pb-substituted Bi-2201 single crystals by a floating zone method, **290**, (1997) 57
Chui, T.C., see Yang, Y., **290**, (1997) 23
Ciobanu, Gh., see Puica, I., **290**, (1997) 303
Combescot, R., see Leyronas, X., **290**, (1997) 215

Dardant, A., see Heintz, J.M., **290**, (1997) 132
De Andrade, M.C., see Triscone, G., **290**, (1997) 188
Dennis, K.W., see Wu, H., **290**, (1997) 252
Díaz, F., see Cabré, R., **290**, (1997) 297
Doyle, R.A., see Doyle, T.B., **290**, (1997) 148
Doyle, T.B., R. Labusch and R.A. Doyle, Quasi-static magnetic behaviour of a disc-shaped type II superconductor, **290**, (1997) 148
Doyle, T.B., see Labusch, R., **290**, (1997) 143
Drost, R.J., see Træholt, C., **290**, (1997) 239

Ebisawa, H., see Nishio, T., **290**, (1997) 43
Emelyanov, D., see Lee, S., **290**, (1997) 275
Endo, S., see Ono, S., **290**, (1997) 49
Enomoto, Y., see Ban, M., **290**, (1997) 345
Er, G., S. Kikkawa, M. Takahashi, F. Kanamaru, M. Hangyo, K. Kisoda and S. Nakashima, Studies on low temperature structure of infinite-layered superconductor $Sr_{1-x}La_xCuO_2$ ($0 \leq x \leq 0.12$), **290**, (1997) 1

Field, S.B., see Olson, C.J., **290**, (1997) 89
Franse, J.J.M., see Træholt, C., **290**, (1997) 239
Freitag, B., see Linzen, S., **290**, (1997) 323
Fujihara, S., Y. Masuda, J.-S. Jin, T. Kimura and K. Tanabe, An interesting sol–gel route to prepare oxyfluoride $Sr_2CuO_2F_{2+\delta}$ superconductors, **290**, (1997) 63
Fukase, T., see Ono, S., **290**, (1997) 49
Fukushima, K., see Takezawa, N., **290**, (1997) 31

Gao, J., see Yang, Y., **290**, (1997) 23
Gavaldà, Jna., see Cabré, R., **290**, (1997) 297
Gomis, V., see Yu, R., **290**, (1997) 151
Grader, G.S., P. Yossefov, G.M. Reisner and G.E. Shter, Synthesis of Nd123 superconducting powder via oxalate coprecipitation, **290**, (1997) 70
Groth, J., see Olson, C.J., **290**, (1997) 89

Ha, D.H., see Matsuhata, H., **290**, (1997) 122
Hangyo, M., see Er, G., **290**, (1997) 1
Hashimoto, T., see Ishizuka, M., **290**, (1997) 265
Heintz, J.M. and A. Dardant, Oxi-nitrate synthesis of non-carbonated $YBa_2Cu_3O_{7-\delta}$ powders, **290**, (1997) 132
Hien, N.T., see Træholt, C., **290**, (1997) 239
Hong, G.W., see Terentiev, A.N., **290**, (1997) 291
Huebener, R.P., see Aikele, M.G., **290**, (1997) 109

Iga, F., see Matsuhata, H., **290**, (1997) 122
Inaba, S., see Iwasaki, H., **290**, (1997) 113
Ishizuka, M., Y. Tanaka, T. Hashimoto and H. Maeda, Influences of Cu composition and sintering condition in Bi-2223 tapes using Ag–Cu alloy sheath doped with Ti, Zr or Hf, **290**, (1997) 265
Iwasaki, H., S. Inaba, K. Sugioka, Y. Nozaki and N. Kobayashi, Superconducting anisotropy in the Y-based system substituted for the Y, Ba and Cu sites, **290**, (1997) 113

James, J., see Pai, S.P., **290**, (1997) 105
Jasudasan, J., see Pai, S.P., **290**, (1997) 105
Jin, J.-S., see Fujihara, S., **290**, (1997) 63

Kanamaru, F., see Er, G., **290**, (1997) 1
Kes, P.H., see Træholt, C., **290**, (1997) 239

Kikkawa, S., see Er, G., **290**, (1997) 1
Kim, C.-J., see Terentiev, A.N., **290**, (1997) 291
Kimura, T., see Fujihara, S., **290**, (1997) 63
Kirschner, I., R. Laiho, A.C. Bódi and E. Lähderanta, Temperature pulse induced thermal instability in $Y_1Ba_2Cu_3O_{7-\delta}$ superconductors, **290**, (1997) 206
Kiryakov, N., see Lee, S., **290**, (1997) 275
Kisoda, K., see Er, G., **290**, (1997) 1
Kiss, T., see Yamafuji, K., **290**, (1997) 9
Kiuchi, M., see Matsushita, T., **290**, (1997) 38
Kobayashi, N., see Iwasaki, H., **290**, (1997) 113
Köhler, A., see Linzen, S., **290**, (1997) 323
Koshy, J., see Pai, S.P., **290**, (1997) 105
Kramer, M.J., see Wu, H., **290**, (1997) 252
Kräußlich, J., see Linzen, S., **290**, (1997) 323
Kumagai, K.-i., see Chong, I., **290**, (1997) 57
Kurian, J., see Pai, S.P., **290**, (1997) 105
Kuznetsov, M., see Lee, S., **290**, (1997) 275

Labusch, R. and T.B. Doyle, Macroscopic equations for the description of the quasi-static magnetic behaviour of a type II superconductor of arbitrary shape, **290**, (1997) 143
Labusch, R., see Doyle, T.B., **290**, (1997) 148
Lähderanta, E., see Kirschner, I., **290**, (1997) 206
Laiho, R., see Kirschner, I., **290**, (1997) 206
Lee, H.J., see Terentiev, A.N., **290**, (1997) 291
Lee, S., M. Kuznetsov, N. Kiryakov, D. Emelyanov and Y. Tretyakov, Synthesis and properties of $Hg_{0.7}Pb_{0.3}$-$(BaSr)_2Ca_2Cu_3O_z$ superconductors, **290**, (1997) 275
Leghissa, M., see Oomen, M.P., **290**, (1997) 281
Lewis, L.H., see Moodenbaugh, A.R., **290**, (1997) 98
Leyronas, X. and R. Combescot, Plane–chain coupling in $YBa_2Cu_3O_7$: temperature dependence of the penetration depth, **290**, (1997) 215
Li, L., see Yang, Y., **290**, (1997) 23
Li, T.F., see Chen, X.H., **290**, (1997) 317
Li, T.W., see Træholt, C., **290**, (1997) 239
Linzen, S., J. Kräußlich, A. Köhler, P. Seidel, B. Freitag and W. Mader, Unusual crystal structure of non-superconducting $Y_1Ba_2Cu_3O_{7-x}$ films on buffered silicon substrates, **290**, (1997) 323

Mader, W., see Linzen, S., **290**, (1997) 323
Maeda, H., see Ishizuka, M., **290**, (1997) 265
Majumdar, A.K., see Sharma, S.V., **290**, (1997) 229
Maple, M.B., see Triscone, G., **290**, (1997) 188
Martínez, B., see Yu, R., **290**, (1997) 151
Massons, J., see Cabré, R., **290**, (1997) 297
Masuda, Y., see Fujihara, S., **290**, (1997) 63
Matsuda, Y., see Chong, I., **290**, (1997) 57
Matsuhata, H., D.H. Ha, K. Oka, F. Iga and Y. Nishihara, Microstructural study of the Ni-doped 2212-phase of Bi–Sr–Ca–Cu–O superconductor single crystals, **290**, (1997) 122
Matsushita, T., M. Kiuchi and K. Noguchi, Correlation length of flux lines in the vicinity of the vortex glass–liquid transition in high-temperature superconductors, **290**, (1997) 38
Mazzetti, P., see Puica, I., **290**, (1997) 303
McCallum, R.W., see Wu, H., **290**, (1997) 252
McGinn, P.J., see Yeung, S.C., **290**, (1997) 334
Menovsky, A.A., see Træholt, C., **290**, (1997) 239
Mochida, T. and M. Murakami, Field induced flux pinning in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ single crystal, **290**, (1997) 311
Moodenbaugh, A.R., L.H. Lewis and S. Soman, Superconductivity of polycrystalline $La_{2-x-y}Nd_ySr_xCuO_4$, **290**, (1997) 98
Mori, T., see Ono, S., **290**, (1997) 49
Murakami, M., see Mochida, T., **290**, (1997) 311

Nagaoka, T., see Chong, I., **290**, (1997) 57
Nakashima, S., see Er, G., **290**, (1997) 1
Nath, T.K., see Sharma, S.V., **290**, (1997) 229
Nishihara, Y., see Matsuhata, H., **290**, (1997) 122
Nishio, T. and H. Ebisawa, Hall resistivity of type-II superconductors in the renormalized regime, **290**, (1997) 43
Noguchi, K., see Matsushita, T., **290**, (1997) 38
Nori, F., see Olson, C.J., **290**, (1997) 89
Nozaki, Y., see Iwasaki, H., **290**, (1997) 113

Obradors, X., see Yu, R., **290**, (1997) 151
Oka, K., see Matsuhata, H., **290**, (1997) 122
Olson, C.J., C. Reichhardt, J. Groth, S.B. Field and F. Nori, Plastic flow, voltage noise and vortex avalanches in superconductors, **290**, (1997) 89
Ono, S., T. Mori, S. Endo, N. Toyota, T. Sasaki, Y. Watanabe and T. Fukase, Temperature dependence of the electronic structure of α-$(BEDT\text{-}TTF)_2MHg(SCN)_4$ ($M = NH_4$, K, Rb), **290**, (1997) 49
Oomen, M.P., J. Rieger, M. Leghissa and H.H.J. ten Kate, Magnetic AC loss in multi-filamentary Bi-2223/Ag tapes, **290**, (1997) 281

Pai, S.P., J. Jasudasan, P.R. Apte, R. Pinto, J. Kurian, P.K. Sajith, J. James and J. Koshy, Epitaxial $YBa_2Cu_3O_{7-\delta}$–Ag thin films ($J_c = 6 \times 10^6$ A/cm^2) on epitaxial films of Ba_2LaNbO_6, a new perovskite substrate, by pulsed laser ablation, **290**, (1997) 105
Piñol, S., see Yu, R., **290**, (1997) 151
Pinto, R., see Pai, S.P., **290**, (1997) 105
Popescu, V., see Puica, I., **290**, (1997) 303
Puica, I., V. Popescu, P. Mazzetti, A. Stepanescu and Gh. Ciobanu, Current-influenced voltage noise in bulk polycrystalline high-T_c superconductors, **290**, (1997) 303

Reichhardt, C., see Olson, C.J., **290**, (1997) 89
Reisner, G.M., see Grader, G.S., **290**, (1997) 70
Reissner, M., Surface versus bulk pinning in a $HgBa_2Ca_2Cu_3$-O_{8+x} ceramics, **290**, (1997) 173
Rieger, J., see Oomen, M.P., **290**, (1997) 281
Ruan, K.Q., see Chen, X.H., **290**, (1997) 317
Ruiz, X., see Cabré, R., **290**, (1997) 297

Sajith, P.K., see Pai, S.P., **290**, (1997) 105
Sandiumenge, F., see Yu, R., **290**, (1997) 151
Sasaki, T., see Ono, S., **290**, (1997) 49

Seidel, P., see Linzen, S., **290**, (1997) 323
Sharma, S.V., T.K. Nath and A.K. Majumdar, Microwave absorption and paracoherence excess conductivity studies in high-T_c superconductors, **290**, (1997) 229
Shter, G.E., see Grader, G.S., **290**, (1997) 70
Solé, R., see Cabré, R., **290**, (1997) 297
Soman, S., see Moodenbaugh, A.R., **290**, (1997) 98
Stepanescu, A., see Puica, I., **290**, (1997) 303
Sugioka, K., see Iwasaki, H., **290**, (1997) 113
Suzuki, K., see Ban, M., **290**, (1997) 345

Takahashi, M., see Er, G., **290**, (1997) 1
Takano, M., see Chong, I., **290**, (1997) 57
Takezawa, N. and K. Fukushima, Optimal size of an insulating inclusion acting as a pinning center for magnetic flux in superconductors: calculation of pinning force, **290**, (1997) 31
Tanabe, K., see Fujihara, S., **290**, (1997) 63
Tanaka, Y., see Ishizuka, M., **290**, (1997) 265
Ten Kate, H.H.J., see Oomen, M.P., **290**, (1997) 281
Terashima, T., see Chong, I., **290**, (1997) 57
Terentiev, A.N., H.J. Lee, C.-J. Kim and G.W. Hong, Identification of magnet and superconductor contributions to the AC loss in a magnet–superconductor levitation system, **290**, (1997) 291
Toyota, N., see Ono, S., **290**, (1997) 49
Træholt, C., H.W. Zandbergen, T.W. Li, R.J. Drost, P.H. Kes, A.A. Menovsky, N.T. Hien and J.J.M. Franse, TEM analysis of planar defects induced by Ti doping in Bi-2212 single crystals, **290**, (1997) 239
Tretyakov, Y., see Lee, S., **290**, (1997) 275
Triscone, G., M.S. Chae, M.C. de Andrade and M.B. Maple, Magnetic properties of the $Bi_{1.95}Sr_{2.05-x}La_xCuO_y$ (Bi-2201) superconducting phase, **290**, (1997) 188
Tsuei, C.C., see Aikele, M.G., **290**, (1997) 109

Vilalta, N., see Yu, R., **290**, (1997) 151

Wang, C.Y., see Chen, X.H., **290**, (1997) 317
Watanabe, Y., see Ono, S., **290**, (1997) 49
Weischer, D., see Aikele, M.G., **290**, (1997) 109
Wu, H., M.J. Kramer, K.W. Dennis and R.W. McCallum, Effect of oxygen partial pressure on the lower solubility limit of $Nd_{1+x}Ba_{2-x}Cu_3O_7$, **290**, (1997) 252

Yamafuji, K. and T. Kiss, Current–voltage characteristics near the glass–liquid transition in high-T_c superconductors, **290**, (1997) 9
Yang, H.F., see Yeung, S.C., **290**, (1997) 334
Yang, Y., J. Gao, T.C. Chui and L. Li, Microstructural study of tilted epitaxial thin films of $YBa_2Cu_3O_{7-\delta}$ with a (105) orientation, **290**, (1997) 23
Yeung, S.C., H.F. Yang and P.J. McGinn, Effects of processing variables on the magnetic properties of melt-processed $YBa_2Cu_3O_x$, **290**, (1997) 334
Yossefov, P., see Grader, G.S., **290**, (1997) 70
Yu, M., see Chen, X.H., **290**, (1997) 317
Yu, R., V. Gomis, N. Vilalta, F. Sandiumenge, B. Martínez, S. Piñol and X. Obradors, Growth rate dependence of the critical currents in directionally solidified $YBa_2Cu_3O_7$–Y_2BaCuO_5 superconducting bars, **290**, (1997) 151

Zandbergen, H.W., see Træholt, C., **290**, (1997) 239

ELSEVIER

Physica C 290 (1997) 357–358

PHYSICA C

Analytical Subject Index to Volume 290

AC loss
–in Bi-2223/Ag Tapes 281
–in YBCO 291
Accelerated humidity testing 345
Ag-Cu alloy sheath 265
Ampoule synthesis
–of $Hg_{0.7}Pb_{0.3}Ba_{2-x}Sr_xCa_2Cu_3O_z$ 275
Anisotropic superconductors 23
Annealing 345

Band structure 49

Coherence length
–of $Y_{1-x}Pr_xBa_2Cu_3O_y$ 113
–of $YBa_2(Cu_{1-x}Co_x)_3O_y$ 113
Coherent domains 206
Collective pinning theory 173
Correlation length 38
Critical current density
–of Ba_2LaNbO_6 105
–of $HgBa_2Ca_2Cu_3O_{8+x}$ 173
Critical state 148
Crystal growth
–of $YBa_2Cu_3O_{6+x}$ 334
CuO chains 215
CuO_2 planes 215

Defect structures 23
Dissipative vortex motion 109

Eddy current 291
Electrical resistivity
–of $Bi_{1.80}Pb_{0.38}Sr_{2.01}CuO_{6+\delta}$ 57
–of $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ 317
–of $Y_{1-x}Pr_xBa_2Cu_3O_y$ 113
–of $YBa_2(Cu_{1-x}Co_x)_3O_y$ 113
Electronic structure
–of α-(BEDT-TTF)$_2M$Hg(SCN)$_4$ 49
Energy current relation 173

Fermi surface 49
Fishtail effect
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-d}$ single crystal 311
Fluctuation effect
–in $Y_1Ba_2Cu_3O_{7-\delta}$ 206
Fluctuation effects 303
Fluctuation 43, 188
Flux creep
–in $HgBa_2Ca_2Cu_3O_{8+x}$ 173
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-d}$ single crystal 311
Flux density 143
Flux distribution 148
Flux flow 89
Flux lines 38
Flux pinning 9, 31, 89, 143, 148
–in $HgBa_2Ca_2Cu_3O_{8+x}$ 173
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-d}$ single crystal 311

Ginzburg-Landau theory 31
Glass-liquid transition 9
Grain alignment (texturing)
–in $YBa_2Cu_3O_{6+x}$ 334
Grain boundaries
–in Bi-2223/Ag Tapes 281
Grain growth
–of $YBa_2Cu_3O_7$-Y_2BaCuO_5 161

HREM
–of $Bi_2Sr_2Ca_1Cu_{2-x}Ni_xO_y$ single crystal 122
–on Ti/Bi2212 single crystals 239
–on $Y_1Ba_2Cu_3O_{7-x}$ films 323
Hall resistivity 43

I-V characteristics 9, 38
IV characteristics 109
Infinite-layer 1
Insulating inclusion 31

Josephson junctions 303

Levitation 291
London penetration length 143

Magnetic excitations 206
Magnetisation
–of Bi-2223/Ag Tapes 281
Magnetization 143
–of $Bi_{1.95}Sr_{2.05-x}La_xCuO_y$ 188
–of $La_{2-x-y}Nd_ySr_xCuO_4$ 98
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ 70
–of $Sr_2CuO_2F_{2+\delta}$ 63
Microstructure
–of $Bi_2Sr_2Ca_1Cu_{2-x}Ni_xO_y$ single crystal 122
–of $YBa_2Cu_3O_{7-\delta}$ thin films 23
Microwave absorption 229
Mixed state 109
Mixed-state 188
Modulated structures 57

Non carbonated
–of $YBa_2Cu_3O_{7-\delta}$ 132
Normal-state properties
–of $Bi_{1.80}Pb_{0.38}Sr_{2.01}CuO_{6+\delta}$ 57

Organic superconductor 49
Oxalate coprecipation 70
Oxi-nitrate synthesis
–of $YBa_2Cu_3O_{7-\delta}$ 132
Oxyfluoride superconductor 63
Oxygen ion displacement 1
Oxygen partial pressure 252
Oxygen stoichiometry
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ 70
–in $Y_1Ba_2Cu_3O_{7-x}$ films 323

Paracoherence excess conductivity 229
Penetration depth 215
–in $Bi_{1.95}Sr_{2.05-x}La_xCuO_y$ 188
Pinning energy
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-d}$ single crystal 311
Pinning force 31
Planar defects 239
Powder-in-tube technique 265
Processing rate
–of $YBa_2Cu_3O_7$-Y_2BaCuO_5 161

Quasi static magnetic behaviour 148
Quasi-static magnetic behaviour 143

RF magnetron sputtering 345
Raman spectroscopy
–on $Sr_{1-x}Ln_xCuO_2$ 1
Renormalized regime 43

Seebeck coefficient
–for $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ 317
SiO_2 passivation film 345
Single domain
–in $YBa_2Cu_3O_{6-x}$ 297
Single-crystal growth
–of $Bi_{1.80}Pb_{0.38}Sr_{2.01}CuO_{6+\delta}$ 57
Sintering
–of Bi-2223 tape 265
Sol-gel 63
Solid solution 252
Solidification
–of $YBa_2Cu_3O_{6-x}$ 297
Solubility units
–of $Nd_{1+x}Ba_{2-x}Cu_3O_7$ 252
Structural properties 229
Structure
–of Ba_2LaNbO_6 105
–of $Hg_{0.7}Pb_{0.3}Ba_{2-x}Sr_xCa_2Cu_3O_z$ 275
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ 70
–of $Y_1Ba_2Cu_3O_{7-x}$ films 323
–of $YBa_2Cu_3O_{7-\delta}$ 132
Substiting effects
–in Bi-2223 tape 265
Substitution effect
–in $Hg_{0.7}Pb_{0.3}Ba_{2-x}Sr_xCa_2Cu_3O_z$ 275
Substitution effects
–in $Bi_{1.80}Pb_{0.38}Sr_{2.01}CuO_{6+\delta}$ 57
–in $La_{2-x-y}Nd_ySr_xCuO_4$ 98
Superconducting anisotropy
–of $Y_{1-x}Pr_xBa_2Cu_3O_y$ 113
–of $YBa_2(Cu_{1-x}Co_x)_3O_y$ 113
Superconducting properties
–of $La_{2-x-y}Nd_ySr_xCuO_4$ 98
Synthesis
–of Ba_2LaNbO_6 105
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ 70
–of $Sr_2CuO_2F_{2+\delta}$ 63
–of $YBa_2Cu_3O_{6-x}$ 297

TEM 239
Textured superconducting composites 161
Theory 215
Thermal excitations
–in $Y_1Ba_2Cu_3O_{7-\delta}$ 206
Thermoelectric power
–in $Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$ 317
Thin films 23
Time dependent Linzburg Landau 43
Transport properties 229
Traveling solvent floating zone (TSFZ) method 122
Type II superconductors 31

Upper critical field
–of $Bi_{1.95}Sr_{2.05-x}La_xCuO_y$ 188

Voltage noise 303
Vortex avalanches 89
Vortex class liquid transition 38

XAFS
–of $Sr_{1-x}Ln_xCuO_2$ 1

YBCO degradation 345
$YBa_2Cu_3O_{7-\delta}$-Ag film substrate
–for Ba_2LaNbO_6 105

ELSEVIER

Physica C 290 (1997) 359

PHYSICA C

Materials Index to Volume 290

Ba_2LaNbO_6
–$YBa_2Cu_3O_{7-\delta}$-Ag film substrate 105
$Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$
–Seebeck coefficient 317

α-(BEDT-TTF)$_2M$Hg(SCN)$_4$
–electronic structure 49

Ba_2LaNbO_6
–critical current density 105
–structure 105
–synthesis 105
Bi-2223 tape
–sintering 265
–substiting effects 265
Bi-2223/Ag Tapes
–AC loss 281
–grain boundaries 281
–magnetisation 281
$Bi_{1.80}Pb_{0.38}Sr_{2.01}CuO_{6+\delta}$
–electrical resistivity 57
–normal-state properties 57
–single-crystal growth 57
–substitution effects 57
$Bi_{1.95}Sr_{2.05-x}La_xCuO_y$
–magnetization 188
–penetration depth 188
–upper critical field 188
$Bi_2Sr_2Ca_1Cu_{2-x}Ni_xO_y$ single crystal
–HREM 122
–microstructure 122
$Bi_2Sr_2Ca_{1-x}Pr_xCu_2O_y$
–electrical resistivity 317
–thermoelectric power 317

$Hg_{0.7}Pb_{0.3}Ba_{2-x}Sr_xCa_2Cu_3O_z$
–ampoule synthesis 275
–structure 275
–substitution effect 275
$HgBa_2Ca_2Cu_3O_{8+x}$
–critical current density 173
–flux creep 173
–flux pinning 173

$La_{2-x-y}Nd_ySr_xCuO_4$
–magnetization 98
–substitution effects 98
–superconducting properties 98

$Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$
–magnetization 70
–oxygen stoichiometry 70
–structure 70
–synthesis 70
$Nd_{1+x}Ba_{2-x}Cu_3O_7$
–solubility units 252
$Nd_{1+x}Ba_{2-x}Cu_3O_{7-d}$ single crystal
–fishtail effect 311
–flux creep 311
–flux pinning 311
–pinning energy 311

$Sr_{1-x}Ln_xCuO_2$
–raman spectroscopy 1
–XAFS 1
$Sr_2CuO_2F_{2+\delta}$
–magnetization 63
–synthesis 63

Ti/Bi2212 single crystals
–HREM 239

$Y_1Ba_2Cu_3O_{7-\delta}$
–fluctuation effect 206
–thermal excitations 206

$Y_1Ba_2Cu_3O_{7-x}$ films
–HREM 323
–oxygen stoichiometry 323
–structure 323
$Y_{1-x}Pr_xBa_2Cu_3O_y$
–coherence length 113
–electrical resistivity 113
–superconducting anisotropy 113
YBCO
–AC loss 291
$YBa_2(Cu_{1-x}Co_x)_3O_y$
–coherence length 113
–electrical resistivity 113
–superconducting anisotropy 113
$YBa_2Cu_3O_{6+x}$
–crystal growth 334
–grain alignment (texturing) 334
$YBa_2Cu_3O_{6-x}$
–single domain 297
–solidification 297
–synthesis 297
$YBa_2Cu_3O_7$-Y_2BaCuO_5
–grain growth 161
–processing rate 161
$YBa_2Cu_3O_{7-\delta}$ thin films
–microstructure 23
$YBa_2Cu_3O_{7-\delta}$
–non carbonated 132
–oxi-nitrate synthesis 132
–structure 132

ELSEVIER

Physica C 290 (1997) 360–361

PHYSICA C

Cumulative Author Index to Volume 290

Aguiló, M., **290**, 297
Aikele, M.G., **290**, 109
Apte, P.R., **290**, 105

Ban, M., **290**, 345
Bando, Y., **290**, 57
Bódi, A.C., **290**, 206

Cabré, R., **290**, 297
Cao, L.Z., **290**, 317
Chae, M.S., **290**, 188
Chen, X.H., **290**, 317
Chong, I., **290**, 57
Chui, T.C., **290**, 23
Ciobanu, Gh., **290**, 303
Combescot, R., **290**, 215

Dardant, A., **290**, 132
De Andrade, M.C., **290**, 188
Dennis, K.W., **290**, 252
Díaz, F., **290**, 297
Doyle, R.A., **290**, 148
Doyle, T.B., **290**, 143, 148
Drost, R.J., **290**, 239

Ebisawa, H., **290**, 43
Emelyanov, D., **290**, 275
Endo, S., **290**, 49
Enomoto, Y., **290**, 345
Er, G., **290**, 1

Field, S.B., **290**, 89
Franse, J.J.M., **290**, 239
Freitag, B., **290**, 323
Fujihara, S., **290**, 63
Fukase, T., **290**, 49
Fukushima, K., **290**, 31

Gao, J., **290**, 23
Gavaldà, Jna., **290**, 297
Gomis, V., **290**, 151
Grader, G.S., **290**, 70
Groth, J., **290**, 89

Ha, D.H., **290**, 122
Hangyo, M., **290**, 1
Hashimoto, T., **290**, 265
Heintz, J.M., **290**, 132
Hien, N.T., **290**, 239
Hong, G.W., **290**, 291
Huebener, R.P., **290**, 109

Iga, F., **290**, 122
Inaba, S., **290**, 113
Ishizuka, M., **290**, 265
Iwasaki, H., **290**, 113

James, J., **290**, 105
Jasudasan, J., **290**, 105
Jin, J.-S., **290**, 63

Kanamaru, F., **290**, 1
Kes, P.H., **290**, 239
Kikkawa, S., **290**, 1
Kim, C.-J., **290**, 291
Kimura, T., **290**, 63
Kirschner, I., **290**, 206
Kiryakov, N., **290**, 275
Kisoda, K., **290**, 1
Kiss, T., **290**, 9
Kiuchi, M., **290**, 38
Kobayashi, N., **290**, 113
Köhler, A., **290**, 323
Koshy, J., **290**, 105
Kramer, M.J., **290**, 252
Kräußlich, J., **290**, 323
Kumagai, K.-i., **290**, 57
Kurian, J., **290**, 105
Kuznetsov, M., **290**, 275

Labusch, R., **290**, 143, 148
Lähderanta, E., **290**, 206
Laiho, R., **290**, 206
Lee, H.J., **290**, 291
Lee, S., **290**, 275
Leghissa, M., **290**, 281
Lewis, L.H., **290**, 98
Leyronas, X., **290**, 215
Li, L., **290**, 23
Li, T.F., **290**, 317
Li, T.W., **290**, 239
Linzen, S., **290**, 323

Mader, W., **290**, 323
Maeda, H., **290**, 265
Majumdar, A.K., **290**, 229
Maple, M.B., **290**, 188
Martínez, B., **290**, 151
Massons, J., **290**, 297
Masuda, Y., **290**, 63
Matsuda, Y., **290**, 57
Matsuhata, H., **290**, 122
Matsushita, T., **290**, 38
Mazzetti, P., **290**, 303
McCallum, R.W., **290**, 252
McGinn, P.J., **290**, 334
Menovsky, A.A., **290**, 239
Mochida, T., **290**, 311
Moodenbaugh, A.R., **290**, 98
Mori, T., **290**, 49
Murakami, M., **290**, 311

Nagaoka, T., **290**, 57
Nakashima, S., **290**, 1
Nath, T.K., **290**, 229
Nishihara, Y., **290**, 122
Nishio, T., **290**, 43
Noguchi, K., **290**, 38
Nori, F., **290**, 89
Nozaki, Y., **290**, 113

Obradors, X., **290**, 151
Oka, K., **290**, 122
Olson, C.J., **290**, 89
Ono, S., **290**, 49
Oomen, M.P., **290**, 281

Pai, S.P., **290**, 105
Piñol, S., **290**, 151
Pinto, R., **290**, 105
Popescu, V., **290**, 303
Puica, I., **290**, 303

Reichhardt, C., **290**, 89
Reisner, G.M., **290**, 70
Reissner, M., **290**, 173

Rieger, J., **290**, 281
Ruan, K.Q., **290**, 317
Ruiz, X., **290**, 297

Sajith, P.K., **290**, 105
Sandiumenge, F., **290**, 151
Sasaki, T., **290**, 49
Seidel, P., **290**, 323
Sharma, S.V., **290**, 229
Shter, G.E., **290**, 70
Solé, R., **290**, 297
Soman, S., **290**, 98
Stepanescu, A., **290**, 303
Sugioka, K., **290**, 113
Suzuki, K., **290**, 345

Takahashi, M., **290**, 1
Takano, M., **290**, 57
Takezawa, N., **290**, 31
Tanabe, K., **290**, 63
Tanaka, Y., **290**, 265
Ten Kate, H.H.J., **290**, 281
Terashima, T., **290**, 57
Terentiev, A.N., **290**, 291
Toyota, N., **290**, 49
Træholt, C., **290**, 239
Tretyakov, Y., **290**, 275
Triscone, G., **290**, 188
Tsuei, C.C., **290**, 109

Vilalta, N., **290**, 151

Wang, C.Y., **290**, 317
Watanabe, Y., **290**, 49
Weischer, D., **290**, 109
Wu, H., **290**, 252

Yamafuji, K., **290**, 9
Yang, H.F., **290**, 334
Yang, Y., **290**, 23
Yeung, S.C., **290**, 334
Yossefov, P., **290**, 70
Yu, M., **290**, 317
Yu, R., **290**, 151

Zandbergen, H.W., **290**, 239